

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Performance statistics			
Day	Interface type	Uptime (%)	Downtime (%)	Response (milliseconds)	Dedicated interface		
					AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)
A		B		C			
Tesco Bank Open Banking API		Dedicated Interface		Payment services user interface			
		C		Dedicated interface			
		Yes		Has exemption been granted for dedicated interface?			
D	E	F	G	H	I	J	
1	100	0	1188	429	0	0.04	
2	99.99	0.01	1165	405	0	0.03	
3	99.98	0.02	1132	455	0	0.06	
4	100	0	1184	479	0	0.14	
5	100	0	1179	458	0	0.06	
6	100	0	1179	473	0	0.05	
7	100	0	1184	452	0	0.06	
8	99.97	0.03	1194	472	0	0.06	
9	100	0	1176	445	0	0.03	
10	99.4	0.6	1375	450	0	2.5	
11	99.97	0.03	1193	526	0	0.08	
12	97.58	2.42	1140	466	0	4.08	
13	100	0	1164	441	0	0.05	
14	100	0	1188	472	0	0.05	
15	100	0	1211	458	0	0.04	
16	100	0	1108	404	0	4.71	
17	100	0	1019	421	0	0.1	
18	100	0	1013	439	0	0.11	
19	100	0	1019	460	0	0.12	
20	100	0	1030	498	0	0.11	
21	100	0	1019	446	0	0.06	
22	100	0	1028	471	0	0.06	
23	100	0	1017	430	0	0.12	
24	100	0	1453	430	0	0.03	
25	100	0	1562	450	0	0.16	
26	100	0	1000	453	0	0.07	
27	100	0	1007	477	0	0.16	
28	100	0	989	472	0	0.07	
29	100	0	1016	537	0	0.12	
30	100	0	995	453	0	0.05	
31	100	0	958	424	0	0.06	
32	98.13	1.87	1105	543	0	2.31	
33	90.28	9.72	1009	431	0	0.09	
34	100	0	1331	1225	0	0.48	
35	100	0	990	449	0	0.04	
36	100	0	1031	476	0	0.07	
37	100	0	992	420	0	0.03	
38	100	0	1152	459	0	1.85	
39	100	0	992	434	0	0.16	
40	100	0	1342	408	0	0.13	
41	100	0	1155	415	0	0.19	
42	100	0	985	432	0	0.09	
43	100	0	1008	476	0	0.07	
44	100	0	997	469	0	0.06	
45	100	0	967	426	0	0.08	
46	95.83	4.17	1042	674	0	0.31	
47	63.06	36.94	1003	473	0	0.11	
48	93.54	6.46	1010	524	0	0.15	
49	100	0	969	461	0	0.04	
50	100	0	969	449	0	0.05	
51	100	0	1468	1583	0	0.05	
52	100	0	1416	491	0	1.78	
53	100	0	973	503	0	0.08	
54	100	0	1833	429	0	0.06	
55	100	0	1024	462	0	0.1	
56	100	0	1001	480	0	0.07	
57	100	0	1113	574	0	0.16	
58	100	0	1069	390	0	0.09	
59	100	0	1043	387	0	0.08	
60	100	0	1120	503	0	0.18	
61	100	0	1046	415	0	0.12	
62	100	0	1052	435	0	0.24	
63	100	0	1439	493	0	0.08	
64	100	0	1013	484	0	0.07	
65	100	0	1058	429	0	0.61	
66	100	0	956	413	0	0.08	
67	100	0	1013	451	0	0.15	
68	100	0	1756	413	0	0.03	
69	100	0	1052	418	0	0.02	
70	100	0	1027	403	0	0.12	
71	100	0	1487	404	0	0.05	
72	100	0	1020	403	0	0.05	
73	100	0	1004	421	0	0.05	

74	100	0		1040	400	0	0.06
75	96.88	3.12		1503	460	0	0.12
76	100	0		1935	440	0	0.06
77	100	0		1003	396	0	0.09
78	100	0		995	410	0	0.04
79	100	0		962	374	0	0.08
80	100	0		950	379	0	0.09
81	100	0		1015	409	0	0.15
82	100	0		1000	391	0	0.13
83	100	0		997	374	0	0.11
84	100	0		1018	381	0	0.11
85	100	0		1026	398	0	0.11
86	100	0		1000	366	0	0.08
87	100	0		986	368	0	0.13
88	100	0		1024	389	0	0.11
89	100	0		1032	369	0	0.12
90	100	0		1032	376	0	0.16
91							
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id							
Tesco Bank Online Banking							
Day	Availability statistics		Payment services user interface	Performance statistics			
	Uptime (%)	Downtime (%)		PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100	0	877				
2	100	0	829				
3	100	0	826				
4	100	0	941				
5	100	0	865				
6	100	0	851				
7	100	0	864				
8	100	0	863				
9	100	0	828				
10	100	0	844				
11	100	0	939				
12	88.68	11.32	865				
13	100	0	851				
14	100	0	878				
15	95.83	4.17	875				
16	63.06	36.94	835				
17	93.54	6.46	809				
18	100	0	858				
19	100	0	838				
20	100	0	864				
21	100	0	842				
22	100	0	901				
23	100	0	865				
24	100	0	896				
25	100	0	912				
26	100	0	878				
27	100	0	837				
28	100	0	828				
29	100	0	934				
30	100	0	825				
31	100	0	803				
32	98.12	1.88	886				
33	98.47	1.53	847				
34	89.38	10.62	843				
35	100	0	840				
36	100	0	897				
37	100	0	822				
38	100	0	824				
39	100	0	907				
40	100	0	853				
41	90.28	9.72	881				
42	100	0	846				
43	100	0	898				
44	100	0	854				
45	100	0	872				
46	100	0	943				
47	100	0	946				
48	100	0	967				
49	100	0	925				
50	100	0	1003				
51	100	0	913				
52	100	0	1013				
53	100	0	1029				
54	100	0	1021				
55	100	0	1079				
56	98.47	1.53	1093				
57	97.36	2.64	1386				
58	100	0	1104				
59	93.06	6.94	1042				
60	100	0	1299				
61	100	0	855				
62	100	0	843				
63	100	0	845				
64	100	0	868				
65	100	0	886				
66	100	0	804				
67	100	0	886				
68	100	0	836				
69	100	0	835				
70	100	0	870				
71	100	0	921				
72	100	0	850				
73	100	0	850				
74	100	0	926				
75	96.88	3.12	907				

76	100	0	915				
77	100	0	913				
78	100	0	954				
79	100	0	890				
80	100	0	883				
81	100	0	1027				
82	100	0	941				
83	100	0	868				
84	100	0	854				
85	100	0	881				
86	100	0	798				
87	100	0	803				
88	100	0	868				
89	100	0	845				
90	100	0	859				
91							
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Payment services user interface	Performance statistics			
Day	Interface type	Uptime (%)	Downtime (%)	Response (milliseconds)	Dedicated interface			
					PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
	Interface type	D	E	F	G	H	I	J
	Tesco Bank Mobile Banking							
	PSU Interface							
	Has exemption been granted for dedicated interface?							
	Yes							
1		100	0	1456				
2		100	0	1411				
3		100	0	1334				
4		100	0	1464				
5		100	0	1456				
6		100	0	1444				
7		100	0	1465				
8		100	0	1440				
9		100	0	1427				
10		100	0	1357				
11		100	0	1320				
12		88.4	11.6	1350				
13		100	0	1334				
14		100	0	1359				
15		95.83	4.17	1410				
16		63.1	36.9	1393				
17		93.54	6.46	1322				
18		100	0	1346				
19		100	0	1378				
20		100	0	1386				
21		100	0	1371				
22		100	0	1395				
23		100	0	1363				
24		100	0	1324				
25		100	0	1398				
26		100	0	1430				
27		100	0	1445				
28		100	0	1424				
29		100	0	1476				
30		100	0	1468				
31		100	0	1312				
32		98.13	1.87	1431				
33		98.47	1.53	1448				
34		89.65	10.35	1431				
35		100	0	1426				
36		100	0	1451				
37		100	0	1450				
38		100	0	1366				
39		100	0	1444				
40		100	0	1471				
41		90.28	9.72	1547				
42		100	0	1466				
43		100	0	1477				
44		100	0	1466				
45		100	0	1313				
46		98.13	1.87	1331				
47		94.24	5.76	1325				
48		100	0	1358				
49		100	0	1323				
50		100	0	1352				
51		100	0	1297				
52		100	0	1308				
53		100	0	1319				
54		100	0	1354				
55		100	0	1358				
56		100	0	1399				
57		100	0	1454				
58		100	0	1440				
59		100	0	1315				
60		100	0	1466				
61		100	0	1413				
62		100	0	1410				
63		100	0	1386				
64		98.13	1.87	1409				
65		98.4	1.6	1464				
66		100	0	1307				
67		100	0	1391				
68		100	0	1429				
69		100	0	1480				
70		98.47	1.53	1513				
71		95.21	4.79	1525				
72		100	0	1485				
73		100	0	1357				

74	98.47	1.53	1373				
75	94.58	5.42	1388				
76	100	0	1340				
77	100	0	1348				
78	100	0	1363				
79	100	0	1317				
80	100	0	1286				
81	100	0	1388				
82	100	0	1420				
83	100	0	1396				
84	100	0	1437				
85	100	0	1454				
86	100	0	1402				
87	89.24	10.76	1351				
88	100	0	1384				
89	100	0	1454				
90	100	0	1461				
91							
92							